

**Product Category:** Skin Care

**Formulation Code:** SI 8-199A

INCI Name/Chemical Name	Trade Name	Supplier	Percentage (%)
<b>Phase A</b>			
Water	Water		89.40
Carbomer	Carbopol® 980	The Lubrizol Corporation	0.30
Glycerin	Glycerin		1.00
Disodium EDTA	VERSENE™ Na2 Crystals	The Dow Chemical Company	0.05
<b>Phase B</b>			
Cetearyl Alcohol and Cetearth 20	JEECOL CS-20D	Jeen® International Corporation	2.00
Caprylic/Capric Triglyceride	<b>GalMOL CCT</b>	Galaxy Surfactants, Ltd.	3.00
Hydrogenated Ethylhexyl Olivat, Hydrogenated Olive Oil Unsaponifiables	<b>Fision® EcoSil</b>	TRI-K Industries, Inc.	2.00
Glyceryl Stearate	Glyceryl Stearate		1.00
<b>Phase C</b>			
Triethanolamine	Triethanolamine 99%	Jeen® International Corporation	0.25
<b>Phase D</b>			
Phenoxyethanol, Undecylenoyl Glycine, Capryloyl Glycine	<b>Galguard Trident</b>	Galaxy Surfactants, Ltd.	1.00

**Procedure:**

- 1) Add the carbomer to the water, mix well until completely hydrated. Heat to 65-70°C, then add remaining ingredients of Phase A.
- 2) Combine Phase B ingredients and heat to 70-75°C. Add Phase B to Phase A and mix well.
- 3) Add Phase C, homogenize for 3 minutes.
- 4) Cool batch to 40°C. Add Phase D ingredient, mix until uniform.

The information presented herein is provided in good faith and is believed to be accurate and reliable based on our current knowledge. No legally binding promise or warranty is made regarding the suitability of our products for any specific use. TRI-K Industries, Inc. will not assume any expressed or implied liability in connection with any use of this information.