

Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

GHS Product identifier

Trade Name : Galsoft SCI 80 (G)

Chemical identity of ingredients that contribute : Sodium Cocoyl Isethionate

to classification

Recommended use of the chemical and

restrictions on use

Use of the substance/mixture : Ingredient in Personal and Home Care products

Supplier's details : Galaxy Surfactants Limited

C-49/2, TTC Industrial Area

Pawne, Navi Mumbai, 400703, India Tel: +91-22-27616666 / +91-22-39135500 e-mail: galaxy@galaxysurfactants.com

§Emergency phone number

(Language: English)

: For product information: +91-9867673376 / +91- 9867613368

For Incident (Spill, Leak, Fire, Exposure, or Accident)

CHEMTREC (Day or Night): +1 703-741-5970 / 1-800-424-9300

2. HAZARD IDENTIFICATION

Classification of the substance or mixture:

Eye irritation Category 2A; H319

Acute aquatic toxicity Category 2; H401

Chronic aquatic toxicity Category 3; H412

GHS label elements, including precautionary statements

Hazard pictogram:



Signal word: Warning Hazard statement(s)

H319: Causes serious eye irritation.

H401: Toxic to aquatic life.

H412: Harmful to aquatic life with long lasting effects.



Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose off contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in : Not known

classification

§3. COMPOSITION/INFORMATION ON INGREDIENTS

INCI/Chemical name	Synonyms	CAS Number	EC Number	% Concentration
Sodium Cocoyl Isethionate	Sodium 2- (cocoyloxy)ethanesulfonate; Fatty acids, coco, 2-sulfoethyl esters, sodium salts;	61789-32-0	263-052-5	≥ 80
внт	2,6-di-tert-butyl-p-cresol; 2,6-di- tert-butyl-4-methylphenol	128-37-0	204-881-4	< 0.1

4. FIRST- AID MEASURES

Description of necessary first-aid measures

Inhalation : Remove to fresh air. Seek medical attention, if necessary

Skin contact : Wash with soap and water for at least 15 minutes. Seek medical

advice, if necessary

Eye contact : Flush with water for at least 15 minutes under running water

with eyelids held open. Consult the doctor, if necessary

Ingestion : Immediately rinse mouth and then drink water (two glasses at

most). If feeling unwell, after accidental swallowing, consult the

doctor

<u>.....</u>



Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

Most important symptoms/effects, acute and delayed

Skin contact : Slightly irritant

Eye contact : Causes serious eye irritation

Indication of immediate medical attention and special treatment needed, if necessary

Treatment : Treat symptomatically

5. FIRE- FIGHTING MEASURES

§Suitable extinguishing media : Dry chemical powder, carbon dioxide, water spray, foam

§Unsuitable extinguishing media : Do not use high volume water jet, which may spread fire

Specific hazards arising from the chemical : Development of hazardous combustion products like oxides of

carbon and sulfur possible in the event of fire

Special protective equipment and precautions

for fire-fighters

: Wear personal protective equipment and self-contained

breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment. Wash hands after exposure with the product. Avoid breathing dust. Avoid contact with skin, eyes and clothing

Environmental precautions

Methods and materials for containment

and cleaning up

: Do not discharge into drains, surface water or ground water

: Collect in suitable and properly labeled container. Avoid dust formation. Dispose off collected material in accordance

with regulations

7. HANDLING AND STORAGE

Precautions for safe handling

: Follow general occupational hygiene such as, wash hands after use. Do not use hooks for handling bags. Multiple handling may lead to the formation of fine powder which may cause dusting during usage. Use personal protective equipment while charging the material. To avoid dusting, keep minimum distance between bag and the hopper. Use proper dust collection system to avoid particle contamination in the production area. Follow safe procedures for loading and un-loading of product



Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

§Conditions for safe storage, including any incompatibilities

: Store the material in a clean, dry place at below 45°C away from direct heat and sunlight. Keep the bags tightly closed. Soft, easily breakable agglomerates may be formed on storage. Once the bag is opened, consume the product within a week. In original sealed condition, when stored as suggested the shelf life of the product is two years.

Stacking of paper bags:

Non-palletized - maximum 8 bags during transport and no

stacking during storage

Palletized - single pallet on ground or in rack during storage and

no stacking during transport

Stacking of Jumbo bag (with crate): 1+1, both while transport as

well as during storage

Suitable packing materials : Paper bags with HDPE liner / Jumbo bag

Unsuitable packing materials : Not known

§8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

Occupational exposure limits for BHT (CAS Number: 128-37-0; EC Number: 204-881-4)

Country	Lim	Limit value - Eight hours		Limit value - Short term		
	ppm	mg/m³	ppm	mg/m³		
Australia	-	10	1	-		
Austria	-	10	-	-		
Belgium	-	2 (Inhalable fraction and vapour)	ı	-		
Canada - Ontario	-	2 (Inhalable aerosol and vapour)	-	-		
Canada - Quebec	-	-	-	10 (15 minutes average value		
Denmark	-	10	1	20		
Finland	-	10	1	20 (15 minutes average value)		
France	-	10	-	-		
Germany (AGS)	-	10 (Inhalable aerosol and vapour)	-	40 (Inhalable aerosol and vapour) (15 minutes reference period)		
Germany (DFG)	-	10 (Inhalable fraction and vapour)	-	40 (Inhalable fraction and vapour) (15 minutes reference period)		

.....



Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

Ireland	-	2	-	-
New Zealand	-	10	-	-
Singapore	-	10	-	-
South Korea	-	2	-	-
Switzerland	-	10 Inhalable aerosol	-	-
USA - NIOSH	-	10	-	-
United Kingdom	-	10	-	-

(Source: Based on GESTIS International Limit values Database via:

http://limitvalue.ifa.dguv.de/WebForm_ueliste2.aspx, as on date: 28.06.2021)

Biological limit values : No data available

Appropriate engineering controls : Proper plant design, technical measures and working

operations should minimize human exposure

: Eye/face protection: Safety goggles

Individual protection measures, such as

personal protective equipment (PPE) Skin protection: Apron, rubber gloves and shoes

Respiratory protection: Dust mask required when dust is

generated

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : Granules

Colour : Off-white to pale yellow

Odour : Fatty

Odour threshold : No data available pH (5% in distilled water) : 5.0 - 7.0 at 25°C

Melting point : ≥ 200°C

§Initial boiling point and boiling range : > 300°C (product will decompose)

Flash point : Not applicable
Evaporation rate : No data available
Flammability (solid, gas) : Not flammable
Upper/lower flammability or explosive limits : Not applicable
Vapour pressure : No data available
Vapour density : No data available

Bulk density : 650 - 800 g/l



Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

Solubility(ies) : Moderately soluble in water (100 - 1000 mg/l)

(5% solution is milky at room temperature)

§Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : Did not show self-heating up to 400°C, indicates that substance

does not have self-ignition temperature

(Data of Sodium Cocoyl Isethionate)

§Decomposition temperature : > 300°C

Viscosity : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions, if stored and handled as

prescribed (Refer Section 7)

Chemical stability : Stable under normal ambient and anticipated storage

and handling conditions of temperature and pressure

Possibility of hazardous reactions : Not anticipated when used or handled as prescribed

Conditions to avoid : Sunlight, heat, flame and other sources of ignition

Incompatible materials : Do not subject to acids, alkali and oxidizing agents

Hazardous decomposition products : Will not form, if stored or handled as prescribed

11. TOXICOLOGICAL INFORMATION

Toxicological information of Sodium Cocoyl Isethionate

Acute oral toxicity (Rat) : LD_{50} : > 2000 mg/kg bw

(OECD Guideline 401)

Acute dermal toxicity : No data available

Acute inhalation toxicity : No data available

Skin corrosion/irritation (Rabbit) : Not classified. Slightly irritant

(Equivalent or similar to OECD Guideline 404)

Serious eye damage/irritation (Rabbit) : Irritating

(OECD Guideline 405)

Respiratory or skin sensitization (Guinea pig) : Not sensitizing

(EU Method B.6 / OECD Guideline 406)



Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

Germ cell mutagenicity

Mammalian cell gene mutation assay (In vitro) : Negative

(OECD Guideline 476)

Bacterial reverse mutation assay (In vitro) : Negative

(Equivalent or similar to OECD Guideline 471)

In vitro mammalian chromosome aberration test: Negative

(Equivalent or similar to OECD Guideline 473)

§Carcinogenicity : No data available Reproductive toxicity : Not classified

Toxicity to reproduction (Rat): NOAEL: 1000 mg/kg bw/day

(OECD Guideline 421) Read-across approach

Developmental toxicity/maternal toxicity (Rat):

NOEL: 1000 mg/kg bw/day (OECD Guideline 414) Read-across approach

STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Repeated dose toxicity: oral (Rat): NOAEL: ≥ 1000 mg/kg bw/day

(Equivalent or similar to OECD Guideline 407)

Repeated dose toxicity: dermal (Rat): NOAEL: ≥ 2070 mg/kg bw/day

(OECD Guideline 410)

Aspiration hazard : Not classified

Toxicological information of BHT

Acute oral toxicity (Rat) : LD_{50} : > 6000 mg/kg bw (male/female)

(OECD Guideline 401)

Acute dermal toxicity (Rat) : LD₅₀: > 2000 mg/kg bw (male/female)

(OECD Guideline 402)

Acute inhalation toxicity (Mouse) : RD₅₀ (30 min): about 546 mg/m³

(Other: Sensory irritation study of BHT)

Skin corrosion/irritation (Rabbit) : Not irritating

(OECD Guideline 404)

.....



Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

Serious eye damage/irritation (Rabbit) : Not irritating

(OECD Guideline 405)

Respiratory or skin sensitization : No sensitization

Germ cell mutagenicity

Bacterial reverse mutation assay (in vitro) : Negative
In-vitro mammalian chromosome aberration test : Negative
Chromosome aberration assay (in vivo) : Negative

Carcinogenicity : Not classified Reproductive toxicity : Not classified

Maternal toxicity (Rat): NOAEL: 93.5 mg/kg bw/day Developmental toxicity (Rat): NOAEL: 375 mg/kg bw/day

(Equivalent or similar to OECD Guideline 414)

STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Information on the likely routes of exposure : Dermal, inhalation and oral Symptoms related to the physical, chemical : Skin contact: Slightly irritant

Delayed and immediate effects and also chronic : Short term exposure: Not known effects from short and long term exposure Long term exposure: Not known

12. ECOLOGICAL INFORMATION

Ecological information of Sodium Cocoyl Isethionate

Short-term toxicity to fish : Oncorhynchus mykiss

 LC_{50} (96 h): > 25 mg/l

(Equivalent or similar to OECD Guideline 203)

Long-term toxicity to fish : No data available

Short-term toxicity to aquatic invertebrates : Daphnia magna

 EC_{50} (48 h): > 32 mg/l NOEC (48 h): \geq 32 mg/l (OECD Guideline 202)

Long-term toxicity to aquatic invertebrates : No data available



Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

Toxicity to aquatic algae : Pseudokirchnerella subcapitata

EC₅₀ (72 h): \geq 1.87 mg/l NOEC (72 h): \geq 0.31 mg/l (OECD Guideline 201) Read-across approach

Persistency and degradability : Readily biodegradable; 78 % after 28 days (O₂ consumption)

OECD Guideline 301 D

(Ready Biodegradability: Closed Bottle Test)

Bioaccumulative potential : Log Pow: - 0.41, a low potential for bioaccumulation is expected

Mobility in soil : Adsorption co-efficient: K_{oc}: 1451 l/kg

(OECD Guideline 106 / Equivalent or similar to EPA OPPTS

835.1110 (Activated Sludge Sorption Isotherm))

Read-across approach

Other adverse effects : No data available

Ecological information of BHT

Short-term toxicity to fish : LC₅₀ (96 h): 0.199 mg/l

(QSAR method)

Long-term toxicity to fish : Oryzias latipes

NOEC (30 d): 0.053 mg/l (OECD Guideline 210)

Short-term toxicity to aquatic invertebrates : Daphnia magna

EC₅₀ (48 h): 0.48 mg/l

(OECD Guideline 202 / EU Method C.2)

Long-term toxicity to aquatic invertebrates : Daphnia magna

NOEC (21 d): 0.069 mg/l (OECD Guideline 211)

Toxicity to aquatic algae : EC₅₀ (96 h): 0.758 mg/l

(QSAR method)

Pseudokirchneriella subcapitata

 EC_{50} (72 h): > 0.24 mg/l (based on growth rate) NOEC (72 h): 0.24 mg/l (based on growth rate)

(OECD Guideline 201)

Persistency and degradability : Not readily biodegradable; 4.5% BOD/ThOD after 28 days

(Equivalent or similar to OECD Guideline 301 C)

§Bioaccumulative potential : BCF: 646 L/kg

(EPI-Suite v4.11, BCFBAF v3.01)



Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

Mobility in soil : Adsorption coefficient: K_{oc}: 23030

(EPI-Suite, EPA (USA) / PCKOCWIN v1.66)

Adsorption coefficient: Koc: 14750

(QSAR estimation: KOCWIN v2.00: Koc estimate from MCI)

BHT is expected to adsorb to the solid soil phase

Other adverse effects : No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods : Dispose off contents/container in accordance with local/regional/

national/international regulations

§14. TRANSPORT INFORMATION

Land transport

ADR/RID : Not classified as dangerous goods as per transport regulation

UN Number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Packing group : Not applicable
Environmental hazards : Not applicable

Inland water ways transport

ADN : Not classified as dangerous goods as per transport regulation

UN Number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Packing group : Not applicable
Environmental hazards : Not applicable

Sea transport

IMDG code : Not classified as dangerous goods as per transport regulation

UN Number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Packing group : Not applicable
Marine pollutant : Not applicable

.....



Galsoft SCI 80 (G)

Version No. 3 Revised on: June 28, 2021

Air transport

ICAO-TI/IATA-DGR : Not classified as dangerous goods as per transport regulation

UN Number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Packing group : Not applicable
Environmental hazards : Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations

specific for the product in question

: Refer to all applicable national, international and local

regulations or provisions

16. OTHER INFORMATION

Revision Number : GHS / Revision 2

Indication of changes : Indicated with symbol '§'

Legend/acronym : GHS - Globally Harmonized System

STOT - Specific Target Organ Toxicity

Source of information : In-house and literature

The information contained herein is based on data considered accurate. However, no warranty is expressed, or implied regarding the accuracy of this data, or the result to be obtained from the use thereof. Galaxy assumes no responsibility for injury to the user, or third person proximately caused by the material, if reasonable safety procedures are not adhered to, as stipulated in the safety data sheet. Galaxy assumes no responsibility for injury to the user, or third person proximately caused by abnormal use of the material, even if reasonable safety procedures are followed. Further, user assumes the risk in his use of the material.